

206-4

Stratigraphic revision (top apted to E. log)

Chaca from 3200

Rio Bravo 3500

A. Bravo Lsdy. 90. 5838 m R. Bravo Lsdy. Sdy.

5610 1X

5820 barren

No fossils in Pg. pg from 1000 ft. area.

R. Bravo Sdy. Mainly fossils of fauna.

of La Pampa, the rest of  
faunas are bad preserved,  
crushed, broken and  
diff. color grey.

in few case encounter pg  
RWR. fauna.

~~concurrent palythra~~  
~~escala~~  
~~dispersa~~  
~~discontinua~~  
~~not preserved~~

Sdy. Mainly present the Pg. fauna  
at up Pg. RWR.

IXP  
BARK

25.20  
25.21

26.32 P  
25.33

3

A1-6X

A1-10X

LOG-22

6040  
6250  
6480 X  
6600 IX  
6690  
6800 VIII b  
7040 IX  
7110 IX  
7161  
7320  
7470 IX  
7560  
7740  
7970 IX  
8100  
8210

7140  
7360  
7530-7590  
7720-7730  
7950-7960 IX  
8100 IX  
8220  
8490  
8750  
8820  
9030 → cc IX-IX  
9320 → pr IX  
9450 → pr X, IX

3410  
3600  
3800  
4000  
4200  
4420  
4600  
4800  
5020  
5200  
5420-5440  
5630  
5820  
5990

→ R. br. sil. VIII-b  
→ R. br. sil. IX  
→ R. br. sil. poor  
pg. TRC. VIII-b

8340-8360

8440

8620

8720

8900 → pr IX

9040

9180 → lapr IX

9270

9330 → lapr. IX

26.34

LOG-17

LOG-7

3340

3200

3400

3600

3810

4000

4200

4420

4620

4820

5010

5220

5400

5610

5820

26-11

LOG-11X

4320

4430

5240

5680 IX

5860-5890

6140 IX

6360 IX

6530

6710

6840

6980

7090 → pr - lapr IX

7150 → pr - lapr VIII-b

7250 → pr - lapr IX + VIII-b

pool  
→ R. br. sil. IX  
→ R. br. sil. poor  
pg. TRC. VIII-b

CENTRAL FILE  
Geosciences